Authors, Titles, Subjects in Marine Fisheries Review. Vol. 42, No. 1-12, 1980

Indexed here by author, title, and subject are the papers which appeared in Marine Fisheries Review in 1980. A list of these papers, in the order printed, appears at the end of the Index. Entries are indexed by number and page (i.e., 7:12 indicates the July number, page 12).

Anonymous notes, news articles, and regular departments are not

indexed.

Able, K.W. -see Grimes et al.

"Abundance, size and age composition, and growth of Pacific ocean perch, Sebastes alutus, sampled during 1977," by James T. Golden, Robert L. Demory, and William H. Barss,

Adams, Peter B., "Morphology and distribution patterns of several important species of rock-

fish (genus Sebastes)," 3-4:80 Albert, Thomas F., George Migaki, Harold W.

Casey, and L. Michael Philo, "Healed pene-trating injury of a bowhead whale," 9-10:92 Allen, Kevin J.—see Gorga and Allen Allsup, Michael G.—see Licciardello et al.

Almeida, F. P. - see Anderson et al. Amaral, Elizabeth H., and H. Arnold Carr, "Experimental fishing for squid with lights in Nan-tucket Sound," 7-8:51

Ampola, Vincent G., "The quality of squid held in chilled seawater versus conventional ship-board handling," 7-8:74 Anderson, E. D., F. E. Lux, and F. P. Almeida,

"The silver hake stocks and fishery off the northeastern United States," 1:12

Andrews, Jay D., "A review of introductions of exotic oysters and biological planning for new

importations," 12:1 Atlantic Bight, Middle tilefish

preliminary analysis of fishery, 11:13

Atlantic coast, South shrimp landings relationship between ex-vessel value and size composition of annual, 12:28 trends in ex-vessel value and size composition of annual, 12:18

Atlantic Ocean, northwest biological considerations relevant to management of squid, 7-8:23

"Bait loss from halibut longline gear observed from a submersible," by William L. High, 2:26

Balaena mysticetus—see Whale, bowhead Barans, C. A.—see Powles and Barans Barss, William H.—see Golden et al. Barter Island, Alaska

whale, bowhead foods utilized, autumn 1979, 9-10:88 Beaufort Sea

whale, bowhead

historical shore-based catch, 9-10:5

Beaufort Sea, eastern whale, bowhead

summer distribution, 9-10:57

Bering Sea whale, bowhead

historical shore-based catch, 9-10:5 vessel surveys, June-July 1978, 9-10:51

Bering Sea, eastern

snail resource and its fishery, 5:15 "Biological considerations relevant to the management of squid (Loligo pealei and Illex il-

lecebrosus) of the northwest Atlantic," by A. M. T. Lange and M. P. Sissenwine, 7-8:23 Blott, Alan J., "Experimental pair trawling for squid in New England," 7-8:57

Bocaccio

maturation and fecundity, 3-4:74 size and age composition and growth, 3-4:48

Bockstoce, John, "A preliminary estimate of the reduction of the western Arctic bowhead whale population by the pelagic whaling industry: 1848-1915," 9-10:20

-see Fraker and Bockstoce

composition, and growth of canary rockfish, Sebastes pinniger, and splitnose rockfish, S. diploproa, from the 1977 rockfish survey," 3-4:57

Braham, Howard W., Floyd E. Durham, Gordon H. Jarrell, and Stephen Leatherwood, "Ingutuk: A morphological variant of the bowhead whale, Balaena mysticetus," 9-10:70

, Mark A. Fraker, and Bruce D. Krogman, "Spring migration of the western Arctic population of bowhead whales,"

-see Dahlheim et al. Bray, Teresa - see Dahlheim et al. Breiwick, J. M.—see Eberhardt and Breiwick Brown, Daniel E.—see Singh and Brown Bryan, Patrick G., "The efficiency of mollies,

Poecilia mexicana, as live bait for pole-andline skipjack fishing: Fishing trials in the tropical central Pacific," 6:15

Burns, John J. - see Lowry and Burns

Caillouet, Charles W., and Dennis B. Koi, "Trends in ex-vessel value and size composition of annual landings of brown, pink, and white shrimp from the Gulf and South Atlantic coasts of the United States," 12:18

and William B. Jackson, "Relationship between ex-vessel value and size composition of annual landings of shrimp from the Gulf and South Atlantic coasts," 12:28

California

distribution and abundance, 1977, 3-4:2

rockfish, shortbelly a large unfished resource, 3-4:34 rockfish, yellowtail

length and age composition, 1977, 3-4:54 California-British Columbia

whiting, Pacific distribution, abundance, and biological characteristics, July-September 1977, 3-4-17

Callahan, Pamela-see Gunderson et al. Callan, John G., and John J. Ryan, "Instrument for determining depth of dehydration of frozen

-see Mendelsohn and Callan Cape Lisburne, Alaska migration of bowhead whales past, 9-10:46 Caroline Islands, Western

Helen Reef, Palau tridacnid clam stocks, 2:8

Carr, H. Arnold-see Amaral and Carr Carroll, Geoffry M., and John R. Smithhisler, "Observations of bowhead whales during

spring migration," 9-10:80 Casey, Harold W-see Albert et al.

Chesapeake Bay polychlorinated biphenyls fish, 2:21 shellfish, 2:21

Chilipepper maturation and fecundity, 3-4:74

size and age composition and growth, 3-4:48 Chukchi Sea

whale, bowhead historical shore-based catch, 9-10:5 vessel surveys, June-July 1978, 9-10:51

Clams, tridacnid stocks on Helen Reef, Palau, Western Caroline Islands

natural history, 2:9

survey methods, 2:12 Clarke, W. Craig—see Wedemeyer et al. Cohen, Daniel M., "Names of the hakes," 1:2 "Costs and returns trends in the Gulf of Mexico shrimp industry, 1971-78," by John P. Warren and Wade L. Griffin, 2:1

Court, William G., "Japan's squid fishing industry," 7-8:1

Crassostrea angulata - see Oyster, Portuguese Crassostrea gigas - see Oyster, Pacific Crassostrea virginica - see Oyster, eastern

Croaker effect of washing on quality characteristics, held in frozen storage chemical analysis, 11:27 functionality analysis, 11:28 functionality measurement, 11:27 loss of total solids, 11:27 microbiological evaluation, 11:29 microbiological examination, 11:27 organoleptic analysis, 11:29 sample preparation, 11:26 sensory evaluation, 11:27

washing, 11:26 Cubbage, James C. -see Rugh and Cubbage

Dahlheim, Marilyn, Teresa Bray, and Howard Braham, "Vessel surveys for bowhead whales in the Bering and Chukchi Seas, June-July 1978," 9-10:51

Traynor, and Edmund P. Nunnallee, "The distribution, abundance, and biological characteristics of Pacific whiting, Merluccius productus, in the California-British Columbia region during July-September 1977," 3-4:17 Dawson, Chad P., and Bruce T. Wilkins, "Social

considerations associated with marine recreational fishing uder FCMA," 12:12 Demory, Robert L. - see Golden et al.

"Development of a squid skinning and eviscerat-ing system," by R. Paul Singh and Daniel E. Brown, 7-8:77

"Developments in South American squid fisheries," by Marcelo Juanico, 7-8:10

"(The) distribution, abundance, and biological characteristics of Pacific whiting, Merluccius productus, in the California-British Columbia region during July-September 1977, Thomas A. Dark, Martin O. Nelson, Jimmie J. Traynor, and Edmund P. Nunnallee, 3-4:17

"Distribution and abundance of rockfish off Washington, Oregon, and California during 1977," by Donald R. Gunderson and Terrance M. Sample, 3-4:2

Durham, Floyd E., "External morphology of bowhead fetuses and calves," 9-10:74

-see Braham et al. Dunn, Daniel W. - see Fuss et al.

Earl, Paul M., "Silver hake-a prospectus,"

Eberhardt, L. L., and J. M. Breiwick, "Minimal historical size of the western Arctic population of bowhead whales," 9-10:27

"(The) effect of washing on the quality charac-teristics of minced fresh croaker, Micropogon undulatus, held in frozen storage," by Jam-shyd G. Rasekh, Melvin E. Waters, and V. D. Sidwell, 11:26

"(The) efficiency of mollies, Poecilia mexicana, as live bait for pole-and-line skipjack fishing: Fishing trials in the tropical central Pacific," by Patrick G. Bryan, 6:15

Eisenberg, Max, Reba Mallman, and Haskell S. Tubiash, "Polychlorinated biphenlys in fish and shellfish of the Chesapeake Bay," 2:21

"Environmental factors affecting smoltification and early marine survival of anadromous sal-monids," by Gary A. Wedemeyer, Richard L. Saunders, and W. Craig Clarke, 6:1

"Evaluation of a bypass system for juvenile sal-monids at Little Goose Dam," by Jerrel R. Harmon and Donn L. Park, 6:25

"Evaluation of a prototype fish cleaning machine with proposals for a commercial processing line," by J. M. Mendelsohn and J. G. Callan, 1:38

"Experimental fishing for squid with lights in Nantucket Sound," by Elizabeth H. Amaral and H. Arnold Carr, 7-8:51

"Experimental jigging for squid off the northeast United States," by Douglas Long and W. F. Rathjen, 7-8:60

"Experimental pair trawling for squid in New England," by Alan J. Blott, 7-8:57 "External morphology of bowhead fetuses and calves," by Floyd E. Durham, 9-10:74

Fey, M. - see Regenstein et al.

Hawaii, 1970-77 per capita annual utilization and consumption 2:16

polychlorinated biphenyls, Chesapeake Bay effects on humans, 2:22

PCB control, 2:22 Fish, demersal

Pacific coast assemblages preliminary analysis, 3-4:83

Fish, frozen instrument for determining depth of dehydration, 6:32

Fish cleaning machine evaluation of a prototype cleaning efficiency, 1:40 operation under commercial conditions,

problems encountered, 1:40 processing in commercial plant, 1:38 products, 1:41

yield recovery, 1:40

Fisheries Conservation and Management Act fishing, marine recreational

social considerations, 12:12 Fisheries enforcement, marine

preliminary method for estimating requirements

area enforcement estimates, 11:25 at-sea enforcement, 11:20

investigations, 11:22 multiple fishery estimates, 11:23 regulatory mechanism, 11:19

regulatory modes, 11:19 shore-side enforcement, 11:22 single fishery estimates, 11:23 support, 11:23

Fishing, marine recreational social considerations under Fisheries Conservation and Management Act, 12:12

"Foods utilized by bowhead whales near Barter Island, Alaska, autumn 1979," by Lloyd F. Lowry and John J. Burns, 9-10:88 Fraidenburg, Michael E., "Yellowtail rockfish,

Sebastes flavidus, length and age composition off California, Oregon, and Washington in 1977 .: 3-4:54

Fraker, Mark A., and John R. Bockstoce, "Summer distribution of bowhead whales in the east-ern Beaufort Sea," 9-10:57 -see Braham et al.

"Frozen storage characteristics of whiting blocks," by Joseph J. Licciardello, Elinor M.

Fuss, Charles M., Jr., Daniel W. Dunn, and Robert M. Spraitz, "Preliminary method for estimating marine fisheries enforcement requirements," 11:19

Gabriel, Wendy, L., and A. V. Tyler, "Prelimi-

nary analysis of Pacific coast demersal fish assemblages," 3.4:83 Gendron, Irene S., "Markets for hake," 1:50 Geraci, J. R., and D. J. St. Aubin, "Offshore petroleum resource development and marine mammals: A review and research recommendations," 11:1

Giddings, George G., "South American hakes: The resource and its utilization," 1:8

-see Otwell and Giddings Gillespie, Samuel M. - see Hixon et al. Goiney, Bernard-see Gunderson et al.

Golden, James T., Robert L. Demory, and William H. Barss, "Abundance, size and age composition, and growth of Pacific ocean perch, Sebastes alutus, sampled during 1977," 3-4:41

Gorga, Carmine, and Kevin J. Allen, "A survey on whiting fillet blocks," 1:44 Griffin, Wade, L. - see Hixon et al

-see Warren and Griffin Grimes, C. B., K. W. Able, and S. C. Turner, "A preliminary analysis of the tilefish, Lopholatilus chamaeleonticeps, fishery in the Mid-Atlantic Bight," 11:13

Groundfish monitoring in sponge-coral areas off southeastern United States

habitat observations and description, 5:23 oceanographic observations, 5:22 television transect studies, 5:26 trap catch comparisons, 5:30

trawl catch comparisons, 5:27 "Groundfish monitoring in sponge-coral areas off the southeastern United States," by H. Powles and C. A. Barans, 5:21

Gulf coast shrimp landings relationship between ex-vessel value and size composition of annual, 12:28 trends in ex-vessel value and size composition of annual, 12:18

Gulf of Alaska recent observations of a large eddy distributions and circulation, 6:29

formation, 6:30 implications, 6:30 surface features, 6:30

Gulf of Mexico shrimp industry

costs and returns trends, 1971-78, 2:1 costs and returns trenus, 19/1-70, 2.1
Gunderson, Donald R., Pamela Callahan, and Bernard Goiney, "Maturation and fecundity of four species of Sebastes," 3-4:74
_______, and Terrance M. Sample, "Distribution and abundance of rockfish off Washington, 2009, and California during 1977."

ington, Oregon, and California during 1977, 3-4.2

-see Wishard et al.

Hake

markets

cured, 1:52 export, 1:52

fillets and fillet blocks, 1:51 headed and gutted, 1:51

impedients to development, 1:53 industrial, 1:52

new product development, 1:53

red hake, 1:52 silver hake, 1:50 white hake, 1:53

whiting, fresh, 1:51 whiting, Pacific, 1:53 names, 1:2

South American resource and utilization

Argentina, 1:9 Chile, 1:9 Peru, 1:8

Uruguay, 1:10 world utilization Australia, 1:7

Brazil, 1:7 foreign trade, 1:6 France, 1:6

Italy, 1:7 Portugal, 1:7 potential catches, 1:5

products, 1:5 Spain, 1:6 United States, 1:7

West Germany, 1:6 world catch, 1:4 Zaire, 1:7

Hake, red utilization, 1:32 Hake, silver fish blocks

economic feasibility of processing into, 1:26 stocks and fishery off northeastern United States

current trends by state, 1:14 current trends by stock, 1:15 historical development, 1:13

implications of expanded U.S. fishery, 1:19 stock definition, 1:12

stock status, 1:18 Hake products

industry outlook for greater utilization fillets, 1:1 fish sticks and portions, 1:1

other forms, 1:1 "Handling whiting aboard fishing vessels," by Joseph J. Licciardello, 1:21

Hanlon, Roger T.—see Hixon et al. Harmon, Jerrel R., and Donn L. Park, "Evaluation of a bypass system for juvenile salmonids at Little Goose Dam," 6:25 Hawaii fish

per capita annual utilization and consumption, 1970-77, 2:16

shellfish per capita annual utilization and consumption, 1970-77, 2:16

"Healed penetrating injury of a bowhead whale," by Thomas F. Albert, George Migaki, Harold W. Casey, and L. Michael Philo, 9-10:92 Helen Reef

Palau, Western Caroline Islands tridacnid clam stocks, 2:8

High, William L., "Bait loss from halibut longline gear observed from a submersible,"

Hirschberger, Wendy, "Tridacnid clam stocks on Helen Reef, Palau, Western Caroline Islands,"

"Historical shore-based catch of bowhead whales in the Bering, Chukchi, and Beaufort Seas," by Willman M. Marquette and John R. Bockstoce, 9-10:5

Hixon, Raymond F., Roger T. Hanlon, Samuel M. Gillespie, and Wade L. Griffin, "Squid fishery in Texas: Biological, economic, and market considerations," 7-8:44

Hudgins, Linda L., "Per capita annual utilization and consumption of fish and shellfish in Hawaii, 1970-77," 2:16

Hultin, H. O. —see Regenstein et al. Hurley, Geoffrey V., "Recent developments in the squid, *Illex illeceprosus*, fishery of New-

foundland, Canada," 7-8:15

Illex illecebrosus - see Squid, short-finned "Implications of transplantations to aquaculture and ecosystems," by H. Rosenthal, 5:1

"Industry outlook for greater utilization of hake products," by Lee J. Weddig, 1:1
"Ingutuk: A morphological variant of the bowhead whale, Balaena mysticetus," by Howard W. Braham, Floyd E. Durham, Gordon H. Jarrell, and Stephan Leatherwood,

"Instrument for determining depth of dehydra-tion of frozen fish," by John G. Callan and John H. Ryan, 6:32

Introduction: A scientific perspective of the bowhead whale program," by Michael F. Tillman, 9-10:2

Jackson, William B .- see Caillouet et al. Japan

squid fishing industry, 7-8:1 "Japan's squid fishing industry," by William G. Court, 7-8:1

Jarrell, Gordon H.—see Braham et al. Juanico, Marcelo, "Developments in South American squid fisheries, 7-8:10

Kelleher, S. D.—see Regenstein et al. Koi, Dennis B.—see Caillouet and Koi enumerating the western Arctic population of the bowhead whale," 9-10:30

-see Braham et al.

Lange, A. M. T., and M. P. Sissenwine, "Biological considerations relevant to the management of squid (Loligo pealei and Illex illecebrosus) of the northwest Atlantic,"

Leatherwood, Stephen-see Braham et al. see Ljungblad et al.

—see Ljungoiau et al. Lenarz, William H., "Shortbelly rockfish, Sebastes jordani: A large unfished resource in waters off California," 3-4:34

Licciardello, Joseph J., "Handling whiting aboard fishing vessels," 1:21 ______, Elinor M. Ravesi, and Michael G.

"Frozen storage characteristics of whiting blocks," 1:55

Little Goose Dam salmonids, juvenile

evaluation of a bypass system, 6:25 Ljungblad, D. K., S. Leatherwood, and M. E. Dahlheim, "Sounds recorded in the presence of an adult and calf bowhead whale," 9-10:86 Loligo pealei — see Squid, long-finned Long, Douglas, and W. F. Rathjen, "Experimen-

tal jigging for squid off the northeast United States," 7-8:60

Longline gear, halibut

bait loss observed from a submersible, 2:26 Lopholatilus chamaeleonticeps - see Tilefish Lowry, Lloyd F., and John J. Burns, "Foods utilized by bowhead whales near Barter Island, Alaska, autumn 1979," 9-10:88 Lux, F. E. - see Anderson et al.

MacIntosh, Richard A., "The snail resource of the eastern Bering Sea and its fishery," 5:15 Mallman, Reba-see Eisenberg et al.

Mammals, marine petroleum resource development, offshore background, 11:5

boat collision, 11:5

behavioral effects of oil, 11:6 behavioral/psychological effects of noise, 11:4

indirect effects, 11:10 ingestion and accumulation of oil, 11:7 inhalation of oil, 11:9

monitoring program, 11:10 noxious effects of oil, 11:7 oil countermeasures, 11:9 oil detection and avoidance, 11:5 physiological effects of noise, 11:3 shock wave effects, 11:1

thermal effects of oil, 11:6 "Markets for hake," by Irene S. Gendron, 1:50 Marquette, Willman M., and John R. Bockstoce, Historical shore-based catch of bowhead whales in the Bering, Chukchi, and Beaufort

Seas," 9-10:5 Maturation and Fecundity of four species of Sebastes," by Donald R. Gunderson, Pamela Callahan, and Bernard Goiney, 3-4:74

Medway, W., "Some observations on urine from

a bowhead whale," 9-10:91 Mendelsohn, J. M., and J. G. Callan, "Evaluation of a prototype fish cleaning machine with proprosals for a commercial processing line,"

Merluccius bilinearis - see Hake, silver Merluccius productus - see Whiting, Pacific Micropogon undulatus - see Croaker

Migaki, George - see Albert et al. "Migration of bowhead whales past Cape Lisburne, Alaska," by David J. Rugh and James C. Cubbage, 9-10:46

"Minimal historical size of the western Arctic populations of bowhead whales," by L. L. Eberhardt and J. M. Breiwick, 9-10:27

efficiency as live bait for pole-and-line skipjack

fishing results, general, 6:18 mollies as baitfish, 6:17 Samoa, American, 6:19 survival, 6:18 Tuyalu and the Gilbert Islands, 6:20 "Morphology and distribution patterns of several important species of rockfish (genus Sebastes)," by Peter B. Adams, 3-4:80

"Names of the hakes," by Daniel M. Cohen, 1:2 Nantucket Sound, Massachusetts experimental squid fishing with lights, 7-8:51 Nelson, Martin O. - see Dark et al.

New England squid

experimental pair trawling, 7-8:57 Newfoundland, Canada

squid, short-finned recent developments in fishery, 7-8:15 Nunnallee, Edmund P. - see Dark et al.

"Observations of bowhead whales during spring migration," by Geoffry M. Carroll and John R. Smithhisler, 9-10:80

"Offshore petroleum resource development and marine mammals: A review and research recommendations," by J. R. Geraci and D. J. St. Aubin, 11:1

Oregon rockfish

distribution and abundance, 1977, 3-4:2 rockfish, yellowtail

length and age composition, 1977, 3-4:54 Otwell, W. Steven, and George G. Giddings, "Scanning electron microscopy of squid, Loligo pealei: Raw, cooked, and frozen mantle," 7-8:67

Oyster, eastern introduction to Pacific coast of North America,

Oyster, Pacific introduced from Japan to Australasia, 12:3 France, 12:3

Pacific coast of North America, 12:3 Oyster, Portuguese

introduced from Portugal and Spain to France, 12:2 Oysters, exotic

review of introductions adaptions of marine organisms to oceanic and continental climates, 12:2 attitudes and rationales for new introduc-tions, 12:7 biological planning for new importations, 12.6 competition with native species, 12:7 history of major introductions, 12:2 importance of races, 12:8 importation categories, 12:2 invertebrate species associated with, western European waters, 12:4 mollusks associated with, Pacific coast of North America, 12:4 preimportation studies needed and controls

required, 12:9 role in spreading diseases and parasites, 12:5 role of hatcheries, 12:8

Palau

Helen Reef, Western Caroline Islands tridacnid clam stocks, 2:8 Park, Donn L. - see Harmon and Park Penaeus aztecus - see Shrimp, brown Penaeus duorarum - see Shrimp, pink Penaeus setiferus - see Shrimp, white

"Per capita annual utilization and consumption of fish and shellfish in Hawaii, 1970-77," by Linda L. Hudgins, 2:16

Perch, Pacific ocean abundance, size and age composition, and growth

age and size composition, 3-4:41, 43 biomass, 3-4:41, 42 catch composition, 3-4:41, 42

growth, 3-4:42, 44
Philbin, Cavin W., "Three different delivery modes for fresh-caught Pacific whiting, Mer-luccius productus," 2:30 Philo, L. Michael—see Albert et al.

Poecilia mexicana — see Mollie
"Polychlorinated biphenyls in fish and shellfish of the Chesapeake Bay," by Max Eisenberg, Reba Mallman, and Haskell S. Tubiash, 2:21 Powles, H., and C. A. Barans, "Groundfish

monitoring in sponge-coral areas off the south-eastern United States," 5:21

(A) preliminary analysis of the tilefish, Lopholatilus chamaeleonticeps, fishery in the Mid-Atlantic Bight," by C. B. Grimes, K. W. Able, and S. C. Turner, 11:13

"(A) preliminary estimate of the reduction of the western Arctic bowhead whale populaton by the pelagic whaling industry: 1848-1915," by John Bockstoce, 9-10:20

"Preliminary method for estimating marine fisheries enforcement requirements, Charles M. Fuss, Jr., Daniel W. Dunn, and Robert M. Spraitz, 11:19

"(The) quality of squid held in chilled seawater versus conventional shipboard handling," by Vincent G. Ampola, 7-8:74

Rasekh, Jamshyd G., Melvin E. Waters, and V. D. Sidwell, "The effect of washing on the quality characteristics of minced fresh croaker. Micropogon undulatus, held in frozen storage," 11:26

Rathjen, W. F.—see Long and Rathjen Ravesi, Elinor—see Licciardello et al.

"Recent development in the squid, *Illex illeceb-rosus*, fishery of Newfoundland, Canada," by Geoffrey V. Hurley, 7-8:15

Recent observations of a large eddy in the Gulf

of Alaska," by R. K. Reed, 6:29

Reed, R. K., "Recent observations of a large eddy in the Gulf of Alaska," 6:29

Reeves, Randall R., "Spitsbergen bowhead stock: A short review," 9-10:65 Regenstein, J. M., H. O. Hultin, M. Fey, and S. D. Kelleher, "Utilization of red hake," 1:32

"Relationship between ex-vessel value and size composition of annual landings of shrimp from Gulf and South Atlantic coasts," by Charles W. Caillouet, Dennis B. Koi, and William B. Jackson, 12:28

"(A) review of introductions of exotic oysters and biological planning for new importations," by Jay D. Andrews, 12:1

Rockfish

distribution and abundance, 1977

California, 3-4:2 Oregon, 3-4:2 Washington, 3-4:2

maturation and fecundity of four species,

morphology and distribution patterns of several species, 3-4:80 stock separation of five species using naturally

occurring biochemical genetic markers electrophoresis applicability to marine fisheries, 3-4:72 genetic data, 3-4:67

species relationships, 3-4:70

Rockfish, canary maturation and fecundity, 3-4:74

size and age composition and growth, 3-4:57 Rockfish, shortbelly

resource off California

development potential of fishery, 3-4:39 growth, 3-4:34

larval and juvenile stages, 3-4:34 length-weight, 3-4:35

management options for fishery development. 3-4:39

maturation, fecundity, and sex composition, 3-4-35

movements, 3-4:35

reaction to fishing, 3-4:37

relationships with other species, 3-4:36 survey results with regard to fishing, 3-4:38 Rockfish, splitnose

size and age composition and growth, 3-4:57 Rockfish, yellowtail

length and age composition, 1977

California, 3-4:54 Oregon, 3-4:54 Washington, 3-4:54

maturation and fecundity, 3-4:74 Rosenthal, H., "Implications of transplantations

to aquaculture and ecosystems," 5:1 Rugh, David J., and James C. Cubbage, "Migration of bowhead whales past Cape Lisburne, Alaska," 9-10:46

Ryan, John J. - see Callan and Ryan

St. Aubin, D. J. - see Geraci and St. Aubin "Saki-ika": Dried squid processing equipment and markets," by Daniel J. Sheehy and Susan F. Vik, 7-8:85

Salmonids, anadromous

environmental factors affecting smoltification and early marine survival

activation of latent infections, 6:10 ATPase test, 6:8

body composition, lipid-moisture dynamics, carbohydrate metabolism, 6:3 body silvering, fin darkening, 6:2 buoyancy adjustment, 6:4 contaminant exposure, 6:5 endocrine control, 6:3

environmental stress and scale loss, 6:10 gill parasite infestations and seawater tolerance, 6:11

growth rate, condition factor, 6:3 hatchery practices, fish disease treatments,

hypoosmotic regulatory capability, salinity tolerance and preference, 6:2

methods for optimizing time, age, and size at release, 6:8

migratory activity, 6:4 Na+, K+-ATPase activity, 6:4

physiological problems during release and emigration, 6:10 photoperiod, 6:7

seawater challenge tests, 6:9 size threshold, 6:5

thyroxine monitoring, 6:10 water temperature, 6:6

Salmonids, juvenile evaluation of a bypass system at Little Goose Dam

directional currents in bulkhead slot, 6:28 fish passage through orifices placed in bulkhead slot, 6:27 fish passage through orifices placed in

operating gate slot, 6:28 Sample, Terrance M. - see Gunderson and Sample

"Sampling strategy for enumerating the western Arctic population of the bowhead whale," by Bruce D. Krogman, 9-10:30

Saunders, Richard L. - see Wedemeyer (t al. "Scanning electron microscopy of squid, Loligo pealei: Raw, cooked, and frozen mantle," by W. Steven Otwell and George G. Giddings, 7-8:67

Sebastes alutus - see Perch, Pacific ocean Sebastes diploproa - see Rockfish, splitnose Sebastes flavidus - see Rockfish, yellowtail Sebastes goodei — see Chilipepper Sebastes jordani — see Rockfish, shortbelly

Sebastes jordan — See Rockfish, shortderly Sebastes paucispinis — see Bocaccio Sebastes pinniger — see Rockfish, canary Sheehy, Daniel J., and Susan F. Vik, "'Saki-ika': Dried squid processing equipment and mar-kets," 7-8:85 Shellfish

Hawaii, 1970-77

per capita annual utilization and consumption, 2:16

polychlorinated biphenyls, Chesapeake Bay effects on humans, 2:22

PCB control, 2:22 "Shortbelly rockfish, Sebastes jordani: A large unfished resource in waters off California," by William H. Lenarz, 3-4:34

Shrimp Gulf and South Atlantic coasts relationship between ex-vessel value and size composition of annual landings, 12:28

Shrimp, brown Gulf and South Atlantic coasts

relationship between ex-vessel value and size composition of annual landings, 12:28 trends in ex-vessel value and size composition

of annual landings annual average ex-vessel value by size cate-

gory, 12:19 annual cumulative ex-vessel value of landings by size category, 12:22

annual cumulative landings by size category,

data description, 12:18 landings, 12:19 Shrimp, pink

Gulf and South Atlantic coasts

relationship between ex-vessel value and size composition of annual landings, 12:28 trends in ex-vessel value and size composition of annual landings

annual average ex-vessel value by size category, 12:19

annual cumulative ex-vessel value of landings by size category, 12:22 annual cumuative landings by size category,

12:21

data description, 12:18 landings, 12:19

Shrimp, white

Gulf and South Atlantic coasts

relationship between ex-vessel value and size composition of annual landings, 12:28 trends in ex-vessel value and size composition of annual landings

annual average ex-vessel value by size category, 12:19

annual cumulative ex-vessel value of landings by size category, 12:22 annual cumulative landings by size category, 12:21

data description, 12:18 landings, 12:19

Shrimp industry

costs and returns trends in Gulf of Mexico annual cash flows, 2:5 annual costs and returns, 2:4 cash flow budgeting, 2:3

catch, seasonal variations, 2:2 costs and returns budgeting, 2:3

| | | * |
|---|--|--|
| data analysis, 2:3 | procedure ashore, 7-8:75 | "Stock separation of five rockfish species using |
| data description, 2:2 | procedure at sea, 7-8:74 | naturally occurring biochemical genetic mark- |
| investment analysis, 2:3 | quality determination, 7-8:75 | ers," by Lisa N. Wishard, Fred M. Utter, and |
| monthly cash flows, 2:5 | skinning and eviscerating system, develop- | Donald R. Gunderson, 3-4:64 |
| Sidwell, V. D. —see Rasekh et al. | ment | Submersible |
| "Silver hake—a prospectus," by Paul M. Earl, 1:26 | design considerations, 7-8:77 ducting, 7-8:79 | observe bait loss from halibut longline gear, 2:26 |
| "(The) silver hake stocks and fishery off the | evisceration and pen removal, 7-8:79 | "Summer distribution of bowhead whales in the |
| northeastern United States," by E. D. Ander- | industrial scale-up, 7-8:84 | eastern Beaufort Sea," by Mark A. Fraker and |
| | | |
| son, F. E. Lux, and F. P. Almeida, 1:12 | orientation and alignment, 7-8:77 | John R. Bockstoce, 9-10:57 |
| Singh, R. Paul, and Daniel E. Brown, "Devel- | performance trials, 7-8:81 | "(A) survey on whiting fillet blocks," by Car- |
| opinion of a squid skinning and eviscerating | removal from muchine, 7-8:80 | mine Gorga and Kevin J. Allen, 1:44 |
| opment of a squid skinning and eviscerating system," 7-8:77 | skinning process, 7-8:79 | T |
| Sissenwine, M. P.—see Lange and Sissenwine | Squid, dried | Texas |
| "Size composition, age composition, and growth | processing equipment and markets, 7-8:85 | |
| of canary rockfish, Sebastes pinniger, and | Squid, long-finned | squid fishery |
| splitnose rockfish, S. diploproa, from the 1977 | biological considerations relevant to manage- | biological, economic, and market consider- |
| rockfish survey," by George W. Boehlert, | ment in northwest Atlantic | ations, 7-8:44 |
| 3-4:57 | biology, 7-8:23 | "Three different delivery modes for fresh-caught |
| "Size composition, age composition, and growth | commercial fishery, 7-8:29 | Pacific whiting, Merluccius productus," by |
| of chilipepper, Sebastes goodei, and bocaccio, | length frequency samples, 7-8:31 | Cavin W. Philbin, 2:30 |
| S. paucispinis, from the 1977 rockfish sur- | research cruise abundance, 7-8:32 | Tilefish |
| vey," by Mark E. Wilkins, 3-4:48 | simulation model of population, 7-8:36 | fishery in Mid-Atlantic Bight |
| Smithhisler, John R.—see Carroll and Smith- | scanning electron microscopy | catch, 11:15 |
| hisler | cooked, 7-8:73 | catch rates, 11:15 |
| Snail | frozen, 7-8:69 | effort, 11:15 |
| resource and fishery of eastern Bering Sea | muscle fibers, 7-8:69 | gear and operations, 11:15 |
| composition, 5:15 | procedure, 7-8:67 | history, 11:14 |
| Japanese fishery, 5:17 | raw squid, 7-8:68 | size of fish, 11:15 |
| life history, 5:16 | Squid, short-finned | Tillman, Michael F., "Introduction: A scientific |
| prospects for U.S. fishery, 5:19 | biological considerations relevant to manage- | perspective of the bowhead whale program," |
| "(The) snail resource of the eastern Bering Sea | | 9-10:2 |
| and its fishery," by Richard A. MacIntosh, | ment in northwest Atlantic | Transplantations |
| 5:15 | biology, 7-8:23 commercial fishery, 7-8:29 | implications to aquaculture and ecosystems |
| | | accidental transplantations, 5:6 |
| "Social considerations associated with marine | length frequency samples, 7-8:31 | carp, common, 5:3 |
| recreational fishing under FCMA," by Chad P. | research cruise abundance, 7-8:32 | |
| Dawson and Bruce T. Wilkins, 12:12 | simulation model of population, 7-8:36 | carp, grass, 5:4 |
| "Some observations on urine from a bowhead | recent developments in Newfoundland fishery | crayfish, 5:6 |
| whale," by W. Medway, 9-10:91 | catch rates, factors influencing inshore, | diseases, 5:7 |
| "Sounds recorded in the presence of an adult and | 7-8:18 | fish disease control problems, 5:11 |
| calf bowhead whale," by D. K. Ljungblad, S. | dried, 7-8:20 | fish parasites, 5:8 |
| Leatherwood, and M. E. Dahlheim, 9-10:86 | fishing strategy developments, 7-8:17 | fishes, other, 5:4 |
| South America | frozen, 7-8:20 | live transport and storage, 5:9 |
| hake | landings, distribution, and economic value, | ornamental fish trade, 5:10 |
| resource and utilization, 1:8 | 7-8:15 | oysters, 5:6 |
| squid fisheries developments, 7-8:10 | life history, 7-8:15 | purposeful transplantations, 5:2 |
| "South American hakes: The resource and its | management initiatives, 7-8:16 | salmonids, 5:4 |
| utilization," by George G. Giddings, 1:8 | offshore fishery, 7-8:19 | tilapia, 5:2 |
| "Spitsbergen bowhead stock: A short review," by | processing and marketing developments, | transfer by sea traffic, 5:1 |
| Randall R. Reeves, 9-10:65 | 7-8:19 | Trawling, pair |
| Spraitz, Robert M. —see Fuss et al. | prospects, 7-8:21 | experimental for squid in New England, 7-8:57 |
| "Spring migration of the western Arctic popula- | Squid catches | Traynor, Jimmie J. — see Dark et al. |
| tion of bowhead whales," by Howard W. | resulting from trawl surveys off southeastern | "Trends in ex-vessel value and size composition |
| Braham, Mark A. Fraker, and Bruce D. Krog- | United States, 7-8:39 | of annual landings of brown, pink, and white |
| man, 9-10:36 | "Squid catches resulting from trawl surveys off | shrimp from the Gulf and South Atlantic coasts |
| Squid | the southeastern United States," by J. David | of the United States," by Charles W. Caillouet |
| experimental fishing with lights in Nantucket | Whitaker, 7-8:39 | and Dennis B. Koi, 12:18 |
| Sound | Squid fishery | "Tridacnid clam stocks on Helen Reef, Palau, |
| vessel, rigging, and operation, 7-8:52 | Japan's industry | Western Caroline Islands," by Wendy |
| vessel trials, 7-8:53 | consumption, 7-8:6 | Hirschberger, 2:8 |
| | | Tubiash, Haskell S.—see Eisenberg et al. |
| experimental jigging off northeast United States | fishery, 7-8:1 import quota system, 7-8:8 | Tuna, skipjack |
| | | mollies |
| biological data, 7-8:65 | regulation, 7-8:4 Newfoundland, Canada | efficiency as live bait for pole-and-line fish- |
| catch and effort, 7-8:64 | | |
| environmental factors, 7-8:65 | recent developments in short-finned, 7-8:15 | ing, 6:15 |
| fishing areas, 7-8:63 | South American, developments | Turner, S. C.—see Grimes et al. |
| fishing operations, 7-8:62 | Atlantic coast, 7-8:11 | Tyler, A. V.—see Gabriel and Tyler |
| fishing vessels and gear, 7-8:60 | consumer market, 7-8:12 | U |
| processing operations, 7-8:63 | Pacific coast, 7-8:10 | |
| vessel lighting, 7-8:66 | situation, general, 7-8:10 | United States, northeast |
| New England | squid resources, 7-8:12 | experimental squid jigging off, 7-8:60 |
| experimental pair trawling, 7-8:57 | Texas | United States, northeastern |
| quality of, held in chilled seawater vs. conven- | biological, economic, and market consider- | hake, silver |
| tional shipboard handling | ations, 7-8:44 | stocks and fishery, 1:12 |
| boxed, 7-8:74 | "Squid fishery in Texas: Biological, economic, | United States, southeastern |
| frozen at sea, 7-8:74 | and market considerations," by Raymond F. | United States, southeastern groundfish monitoring and sponge-coral areas, 5:21 |
| organoleptic results, 7-8:75 | Hixon, Roger T. Hanlon, Samuel M. Gillespie, | 5:21 |
| penned 7 8:74 | and Wade I Griffin 7-8-44 | squid catches resulting from trawl surveys off. |

7-8:39 Urophycis chuss — see Hake, red "Utilization of red hake," by J. M. Regenstein, H. O. Hultin, M. Fey, and S. D. Kelleher, 1:32 Utter, Fred. M.—see Wishard et al. "Vessel surveys for bowhead whales in the Bering and Chukchi Seas, June-July 1978," by Marilyn Dahlheim, Teresa Bray, and Howard Braham, 9-10:51 Vik, Susan F. - see Sheehy and Vik Warren, John P., and Wade L. Griffin, "Costs and returns trends in the Gulf of Mexico shrimp industry, 1971-78," 2:1 Washington distribution and abundance, 1977, 3-4:2 rockfish, yellowtail length and age composition, 1977, 3-4:54
Waters, Melvin E.—see Rasekh et al.
Weddig, Lee J., "Industry outlook for greater
utilization of hake products," 1:1 Wedemeyer, Gary A., Richard A. Saunders, and W. Craig Clarke, "Environmental factors affecting smoltification and early marine survival of anadromous salmonids," 6:1 Whale, bowhead Arctic population, western minimal historical size, 9-10:27 Bering and Chukchi Seas vessel surveys, June-July 1978, 9-10:51 fetuses and calves morphology, external, 9-10:74 foods utilized near Barter Island, Alaska, autumn 1979, 9-10:88 historical shore-based catch in Bering, Chukchi, and Beaufort Seas aboriginal phase, 9-10:9, 10 Canada, 9-10:16 commercial phase, 9-10:9, 13 data recording, 9-10:9 data sources, 9-10:9 evolution, 9-10:9 subsistence phase, 9-10:9, 14 U.S.S.R., 9-10:14 ingutuk: a morphological variant genetic-biochemical analysis, 9-10:72 geographic isolation, 9-10:71 morphological features, 9-10:71 proportion observed, 9-10:71 sex and size-class variation, 9-10:71 taxonomic considerations and Eskimo nomenclature, 9-10:70 injury, healed penetrating, 9-10:92 mig. ation past Cape Lisburne, Alaska behavior, 9-10:50 census, 9-10:47 direction headed, 9-10:49 distance offshore, 9-10:49 dive times, 9-10:50 surface times, 9-10:51 timing of migration, 9-10:49 travel rate, 9-10:48 visual cues, 9-10:50 observations of spring migration dive profiles, 9-10:81 "exuberant" behavior, 9-10:83

preliminary estimate of reduction of western Arctic population, 9-10:20 review of Spitsbergen stock aboriginal exploitation, 9-10:65 commercial exploitation, whale distribution, and stock identity, 9-10:65 historical status, 9-10:67 present status, 9-10:69 reasons for decline and failure to recover, 9-10:68 sampling strategy for enumerating western Arctic population aerial survey, 9-10:31 computer modeling to improve accuracy and precision, 9-10:34 ice and land camps, 9-10:31 measurement of accuracy and precision for missed data, 9-10:35 relative abundance, 9-10:34 study area, 9-10:30 total abundance, 9-10:31 scientific perspective of program data lack stimulates U.S. research, 9-10:3 harvest monitoring results, 9-10:3 legal background, 9-10:4 life history and stock identity, 9-10:2 population estimates, 9-10:4 utilization history, 9-10:2 some observations on urine, 9-10:91 sounds recorded in presence of adult and calf, spring migration of western Arctic population data sources, 9-10:37 effect of ice cover on migration, 9-10:44 migration routes and timing, 9-10:37 study area and ice conditions, 9-10:37 summer distribution in eastern Beaufort Sea recent observations, 9-10:59, 60 whaling ship observations, 9-10:57, 59 Whaling industry, pelagic bowhead preliminary estimate of reduction of western Arctic population, 1848-1915, 9-10:20 Whitaker, Donald R., "World utilization of hake," 1:4 Whitaker, J. David, "Squid catches resulting from trawl surveys off the southeastern United States," 7-8:39 Whiting fillet block survey, 1:44 handling aboard fishing vessels bleeding, 1:21 chilling, 1:22 effect of rigor mortis, 1:22 gutting, 1:21 temperature, 1:22 washing, 1:21 Whiting, Pacific distribution, abundance, and biological characage composition, 34:26 bottom trawl survey, 3-4:18 distribution and abundance, 3-4:21 hydroacoustic-midwater trawl survey, length composition, 3-4:28 sample density, 3-4:21 three different delivery modes for fresh-caught annual catch rate, 2:34 business and indebtness, 2:36 contingency, 2:35 crew, 2:32 daily catch rate, 2:33 delivery modes, 2:31, 32 depreciation, 2:36 ex-vessel price, 2:34

fuel, 2:34

gear maintenance, 2:36

gross profit, 2:35 gross stock, 2:34 gross vessel share, 2:36 hull insurance, 2:36 ice, 2:35 income taxes, 2:36 lubrication, 2:35 operating schedules, 2:32 Oregon State landing tax, 2:35 protection and indemnity, 2:36 provisions, 2:35 vessel characteristics, 2:31 Whiting blocks

frozen storage characteristics, 1:55 Wilkins, Bruce T.—see Dawson and Wilkins Wilkins, Mark E., "Size composition, age composition, and growth of chilipepper, Sebastes goodei, and bocaccio, S. paucispinis, from the 1977 rockfish survey," 3-4:48

Wishard, Lisa N., Fred M. Utter, and Donald R. Gunderson, "Stock separation of five rockfish species using naturally occurring biochemical genetic markers," 3-4:64
"World utilization of hake," by Donald R.

Whitaker, 1:4

"Yellowtail rockfish, Sebastes flavidus, length and age composition off California, Oregon, and Washington in 1977," by Michael E. Fraidenburg, 3-4:54

Papers in Marine Fisheries Review, 1980

January

"Industry Outlook for Greater Utilization of Hake Products," Lee J. Weddig, 1:1.
"Names of the Hakes," Daniel M. Cohen, 1:2-3. "World Utilization of Hake," Donald R. Whit-

aker, 1:4-7.

'South American Hakes: The Resource and Its Utilization," George G. Giddings, 1:8-11. The Silver Hake Stocks and Fishery off the Northeastern United States," E. D. Anderson, F. E. Lux, and F. P. Almeida, 1:12-20.

"Handling Whiting Aboard Fishing Vessels," Joseph J. Licciardello, 1:21-25.

'Silver Hake - A Prospectus," Paul M. Earl, 1:26-31.

"Utilization of Red Hake," J. M. Regenstein, H. O. Hultin, M. Fey, and S. D. Kelleher, 1:32-37

'Evaluation of a Prototype Fish Cleaning Machine With Proposals for a Commercial Processing Line, J. M. Mendelsohn and J. G. Callan, 1:38-43.

"A Survey on Whiting Fillet Blocks," Carmine Gorga and Kevin J. Allen, 1:44-49.
"Markets for Hake," Irene S. Gendron, 1:50-54.
"Frozen Storage Characteristics of Whiting

Blocks," Joseph J. Licciardello, Elinor M. Ravesi, and Michael G. Allsup, 1:55-60.

February

"Costs and Returns Trends in the Gulf of Mexico Shrimp Industry, 1971-78," John P. Warren and Wade L. Griffin, 2:1-7.

Tridacnid Clam Stocks on Helen Reef, Palau, Western Caroline Islands," Wendy Hirschberger, 2:8-15. "Per Capita Annual Utilization and Consump-

feeding behavior, 9-10:84 group size, 9-10:81

maneuvering in ice, 9-10:82

size class distribution, 9-10:81

pelagic whaling industry: 1848-1915

reaction to human disturbance, 9-10:83

rate and direction, 9-10:81

resting, 9-10:83

tion of Fish and Shellfish in Hawaii, 1970-77,"

Linda L. Hudgins, 2:16-20.

"Polychlorinated Biphenyls in Fish and Shellfish of the Chesapeake Bay," Max Eisenberg, Reba Mallman, and Haskell S. Tubiash, 2:21-25. "Bait Loss From Halibut Longline Gear Ob-

served From a Submersible," William L.

High, 2:26-29.

"Three Different Delivery Modes for Fresh Caught Pacific Whiting, Merluccius productus," Cavin W. Philbin, 2:30-36.

March-April

"Cooperative Survey of Rockfish and Whiting Resources Off California, Washington, and Oregon, 1977: Introduction," Donald R. Gunderson and William H. Lenarz, 3-4:1.

"Distribution and Abundance of Rockfish Off Washington, Oregon, and California During 1977," Donald R. Gunderson and Terrance

M. Sample, 3-4:2-16.

"The Distribution, Abundance, and Biological Characteristics of Pacific Whiting, Merluccius productus, in the California-British Columbia Region During July-September 1977," Thomas A. Dark, Martin O. Nelson, Jimmie J. Traynor, and Edmund P. Nunnallee, 3-4:17-33.

"Shortbelly Rockfish, Sebastes jordani: A Large Unfished Resource in Waters Off California."

William H. Lenarz, 3-4:34-40.

"Abundance, Size and Age Composition, and Growth of Pacific Ocean Perch, Sebastes alutus, Sampled During 1977," James T. Golden, Robert L. Demory, and William H. Barss, 3-4:41-47.

"Size Composition, Age Composition, and Growth of Chilipepper, Sebastes goodei, and Bocaccio, S. paucispinis, From the 1977 Rockfish Survey," Mark Wilkins, 3-4:48-53.

"Yellowtail Rockfish, Sebastes flavidus, Length and Age Composition off California, Oregon, and Washington in 1977," Michael E. Fraiden-

burg, 3-4:54-56.

"Size Composition, Age Composition, and Growth of Canary Rockfish, Sebastes pinniger, and Splitnose Rockfish, S. diploproa, From the 1977 Rockfish Survey," George W. Boehlert, 3-4:57-63.

"Stock Separation of Five Rockfish Species Using Naturally Occurring Biochemical Genetic Markers," Lisa N. Wishard, Fred M. Utter, and Donald R. Gunderson, 3-4:64-73.

"Maturation and Fecundity of Four Species of Sebastes," Donald R. Gunderson, Pamela Callahan, and Bernard Goiney, 3-4:74-79.
"Morphology and Distribution Patterns of Sev-

eral Important Species of Rockfish (Genus Sebastes)," Peter B. Adams, 3-4:80-82.

"Preliminary Analysis of Pacific Coast Demersal Fish Assemblages," Wendy L. Gabriel and A. V. Tyler, 3-4:83-88.

May

"Implications of Transplantations to Aquaculture and Ecosystems," H. Rosenthal, 5:1-14.
"The Snail Resource of the Eastern Bering Sea and Its Fishery," Richard A. MacIntosh,

"Groundfish Monitoring in Sponge-Coral Areas Off the Southeastern United States," H. Powles and C. A. Barans, 5:21-35.

"Environmental Factors Affecting Smoltification and Early Marine Survival of Anadromous Salmonids," Gary A. Wedemeyer, Richard L. Saunders, and W. Craig Clarke, 6:1-14.

"The Efficiency of Mollies, Poecilia mexicana, as Live Bait for Pole-and-Line Skipjack Fishing: Fishing Trials in the Tropical Central Pacific," Patrick G. Bryan, 6:15-24.

"Evaluation of a Bypass System for Juvenile Salmonids at Little Goose Dam," Jerrel R. Harmon and Donn L. Park, 6:25-28

"Recent Observations of a Large Eddy in the Gulf of Alaska," R. K. Reed, 6:29-31.

"Instrument for Determining Depth of Dehydration of Frozen Fish," John G. Callan and John J. Ryan, 6:32-34.

July-August

"Japan's Squid Fishing Industry," William G. Court, 7-8:1-9.

"Developments in South American Squid Fish-Marcelo Juanico, 7-8:10-14. eries."

"Recent Developments in the Squid, Illex illecebrosus, Fishery of Newfoundland, Canada," Geoffrey V. Hurley, 7-8:15-22.

Biological Considerations Relevant to the Management of Squid (Loligo pealei and Illex illecebrosus) of the Northwest Atlantic. A. M. T. Lange and M. P. Sissenwine, 7-8:23-38.

"Squid Catches Resulting From Trawl Surveys off the Southeastern United States," J. David

Whitaker, 7-8:39-43.

Squid Fishery in Texas: Biological, Economic, and Market Considerations," Raymond F. Hixon, Roger T. Hanlon, Samuel M. Gillespie, and Wade L. Griffin, 7-8:44-50.

"Experimental Fishing for Squid With Lights in Nantucket Sound," Elizabeth H. Amaral and H. Arnold Carr, 7-8:51-56.

"Experimental Pair Trawling for Squid in New England," Alan J. Blott, 7-8:57-59.

"Experimental Jigging for Squid off the North-east United States," Douglas Long and W. F. Rathjen, 7-8:60-66.

"Scanning Electron Microscopy of Squid, Loligo pealei: Raw, Cooked, and Frozen Mantle, W. Steven Otwell and George G. Giddings, 7-8:67-73.

"The Quality of Squid Held in Chilled Seawater Versus Conventional Shipboard Handling,"

Vincent G. Ampola, 7-8:74-76.

"Development of a Squid Skinning and Eviscerating System," R. Paul Singh and Daniel E. Brown, 7-8:77-84.

'Saki-ika': Dried Squid Processing Equipment and Markets," Daniel J. Sheehy and Susan F. Vik, 7-8:85-92.

September-October

"The Bowhead Whale: Whaling and Biological Research (Preface)," 9-10:1.

"Introduction: A Scientific Perspective of the Bowhead Whale Problem," Michael F. Tillman, 9-10:2-5.

Historical Shore-Based Catch of Bowhead Whales in the Bering, Chukchi, and Beaufort Seas," Willman M. Marquette and John R. Bockstoce, 9-10:5-19.

A Preliminary Estimate of the Reduction of the Western Arctic Bowhead Whale Population by the Pelagic Whaling Industry: 1848-1915, John R. Bockstoce, 9-10:20-27

"Minimal Historical Size of the Western Arctic Population of Bowhead Whales," L. L. Eberhardt and J. M. Breiwick, 9-10:27-29.

Sampling Strategy for Enumerating the Western Arctic Population of the Bowhead Whale,' Bruce D. Krogman, 9-10:30-36.

"Spring Migration of the Western Arctic Pop-ulation of Bowhead Whales," Howard W. Braham, Mark A. Fraker, and Bruce D. Krogman, 9-10:36-46.

"Migration of Bowhead Whales Past Cape Lisburne, Alaska," David J. Rugh and James C. Cubbage, 9-10:46-51.

"Vessel Survey for Bowhead Whales in the Bering and Chukchi Seas, June-July 1978," Marilyn Dahlheim, Teresa Bray, and Howard Braham, 9-10:51-57.

"Summer Distribution of Bowhead Whales in the Eastern Beaufort Sea," Mark A. Fraker and John R. Bockstoce, 9-10:57-64.

"Spitsbergen Bowhead Stock: A Short Review." Randall R. Reeves, 9-10:65-69.

"Ingutuk: A Morphological Variant of the Bowhead Whale, Balaena mysticetus," Howard W. Braham, Floyd E. Durham, Gordon H. Jarrell, and Stephen Leatherwood, 9-10:70-73.

"External Morphology of Bowhead Fetuses and Calves," Floyd E. Durham, 9-10:74-80.

"Observations of Bowhead Whales During Spring Migration," Geoffry M. Carroll and John R. Smithhisler, 9-10:80-85.

"Sounds Recorded in the Presence of an Adult and Calf Bowhead Whale," D. K. Ljungblad, S. Leatherwood, and M. E. Dahlheim, 9-10-86-87

"Foods Utilized by Bowhead Whales Near Barter Island, Alaska, Autumn 1979," Lloyd F. Lowry and John J. Burns, 9-10:88-91.

'Some Observations on Urine From A Bowhead Whale," W. Medway, 9-10:91-92.

Whale, W. McLway, 9-10-31-32.

"Healed Penetrating Injury of a Bowhead Whale," Thomas F. Albert, George Migaki, Harold W. Casey, and L. Michael Philo, 9-10:92-96.

November

"Offshore Petroleum Resource Development and Marine Mammals: A Review and Research Recommendations," J. R. Geraci and D. J. St. Aubin, 11:1-12.

"A Preliminary Analysis of the Tilefish, Lopholatilus chamaeleonticeps, Fishery in the Mid-Atlantic Bight," C. B. Grimes, K. W. Able,

and S. C. Turner, 11:13-18.

"Preliminary Method for Estimating Marine Fisheries Enforcement Requirements," Charles M. Fuss, Jr., Daniel W. Dunn, and Robert M. Spraitz, 11:19-25

"The Effect of Washing on the Quality Characteristics of Minced Fresh Croaker, Micropogon undulatus, Held in Frozen Storage," Jamshyd G. Rasekh, Melvin E. Waters, and V. D. Sidwell, 11:26-30.

December

"A Review of Introductions of Exotic Oysters and Biological Planning for New Importations," Jay D. Andrews, 12:1-11.

Social Considerations Associated With Marine Recreational Fishing Under FCMA," Chad P. Dawson and Bruce T. Wilkins, 12:12-17.

Trends in Ex-vessel Value and Size Composition of Annual Landings of Brown, Pink, and White Shrimp From the Gulf and South Atlantic Coasts of the United States," Charles W. Caillouet and Dennis B. Koi, 12:18-27.

Relationship Between Ex-vessel Value and Size Composition of Annual Landings of Shrimp From the Gulf and South Atlantic Coasts." Charles W. Caillouet, Dennis B. Koi, and William B. Jackson, 12:28-33.